## Quiz of the month...

## True or False? (answers on the next page – good luck!!)

|      | 1. | 50% to 60% of hearing loss in babies is due to genetic causes.  |
|------|----|---|
|      |    | 25% or more of hearing loss in babies is due to "environmental" causes aternal infections during pregnancy and complications after birth. |
|      |    | Hearing screening is easy and not painful. In fact, babies are often ile being screened.  |
| age. | 4. | All babies should be screened for hearing loss no later than 6 months of  |
| !    | 5. | Babies should be screened shortly after leaving the hospital.   |
|      |    | If the baby does not pass the screening, it is important to get a full test spossible, but, no later than 3 months of age.                |
|      | 7. | At risk children need to be tested when entering school.  |
| :    | 8. | The signs and symptoms of hearing loss are different for each child.  |
| !    | 9. | It is ok to wait to see if the child shows definitive signs of hearing loss.  |
|      | 10 | . If in doubt, ask the doctor for a hearing screening as soon as possible.  |

## Answers:

- 1. True
- 2. True
- 3. True
- 4. False Babies should be screened by the age of one month.
- 5. False Babies should be screened before leaving the hospital
- 6. True
- 7. At risk children should be tested by the age of 2-2  $\frac{1}{2}$ .
- 8. True
- 9. False. If in doubt have the baby tested as soon as possible. Do not wait.
- 10. True